ELSEVIER

Volumes 143–144, 20 December 2003

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Strain hardening behaviour and temperature effect on Al-2124/SiCp 1
E. Martín, A. Forn, R. Nogué

Nanocomposite materials based on organopolysiloxane/macrocyle systems for electrochemical sensors 5
A. Jiménez-Morales, P. Aranda, J.C. Galván

Influence of material and process parameters on bursting during hydroforming process 11
A. Lejeune, N. Boudeau, J.C. Gelin

Some properties of powder forged steel based on chromium prealloyed powders of high oxygen content 18
A. Šalak, M. Selecká, L'. Parilák

Cyclic voltammetry and dielectric studies on PbS–potassium ethyl xanthate–dextrine system under flotation and depression conditions 23
A. Huerta-Cerdán, J.M. de la Rosa, C.A. González, J. Genesca

Influence of carbon and aluminium additions on the Fe–10% B (wt.) system 28
J. Abenojar, F. Velasco, M.A. Martínez

Simulation of the compaction process of a two-level powder metallurgical part 34
A. Bejarano, M.D. Riera, J.M. Prado

Pyrosol preparation and structural characterization of SnO_2 thin films 41
A. Tucic, Z.V. Marinkovic, L. Mancic, M. Cilense, O. Miloševic

Application of a failure analysis to powder forming processes 46
A.R. Khoei

Mechanical and tribological properties of Al–Si–Mo plasma-sprayed coatings 52
A. Forn, J.A. Picas, M.J. Simón

Spinel effect on the mechanical properties of metal matrix composite AA6061/$(Al_2O_3)_p$ 58
A. Forn, M. Teresa Baile, E. Rupérez

Application of the electrodeposited multilayers amorphous wires in magnetometric sensors 62
A. García, C. Morón, M.T. Carracedo, F. Maganto

Effects of free-cutting additives on the machinability of austenitic stainless steels 66
T. Akasawa, H. Sakurai, M. Nakamura, T. Tanaka, K. Takano

FEM simulation of the thermo-mechanical behaviour and failure of refractories—a case study 72
K. Andreev, H. Harmuth

Mechanochemical synthesis of ceramic powders with perovskite structure 78
B.D. Stojanovic

Hydrolytic damage study of the silane coupling region in coated silica microfibres: pH and coating type effects 82
D. Olmos, J. González-Benito, A.J. Aznar, J. Baselga

Hot erosion behavior of carbide–metal composite coatings 87
B.Q. Wang, Z.R. Shui

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

CONTENTS Direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier books and journals. You can register for **ContentsDirect** online at: **http://contentsdirect.elsevier.com**

Elsevier B.V.

Preparation and electrical properties of lithium–sulfur-composite polymer batteries 93
B.H. Jeon, J.H. Yeon, I.J. Chung

The characteristics of vacuum sintered M3/2 type HSSs with MoS_2 addition 98
B. Sustarsic, L. Kosec, S. Dolinsek, B. Podgornik

Processing of aluminium alloys by equal channel angular drawing at room temperature 105
C.J. Luis Pérez, C. Berlanga, J. Pérez-Ilzarbe

Comparative analysis of injection systems for manufacturing parts 112
C.J. Luis, J. Vivancos, I. Puertas, L. Costa, M.A. Sebastián

Domain kinetics simulations in 3D Ising model 118
C. Morón, M. Mora

Kinetic models of ordering in two dimensions 122
C. Morón, M. Mora

Magneto-impedance effect in amorphous wires 126
C. Morón, M.T. Carracedo

Domain structure of local current annealed amorphous ribbons 130
C. Moron, A. García, M.T. Carracedo, F. Maganto

Mechanical properties and corrosion behaviour of stainless steel reinforcing bars 134
H. Castro, C. Rodriguez, F.J. Belzunce, A.F. Canteli

Characterization of casting iron powder from recycled swarf 138
C.E. da Costa, W.C. Zapata, M.L. Parucker

Low-resistivity Mo thin films prepared by evaporation onto 30 cm × 30 cm glass substrates 144
C. Guillén, J. Herrero

Fracture toughness of alumina and ZTA ceramics: microstructural coarsening effects 148
D. Casellas, M.M. Nagl, L. Llanes, M. Anglada

Kinetic study of the cure process at the silica microfibres/epoxy interface using pyrene fluorescence response 153
J. González-Benito, D. Olmos, P.G. Sánchez, A.J. Aznar, J. Baselga

Modifying the properties of titanium surface with the aim of improving its bioactivity and corrosion resistance 158
D. Krupa, J. Baszkiewicz, J.W. Sobczak, A. Biliński, A. Barcz

Nutting creep in polymer composites 164
D.W.A. Rees

Thermal properties and interactions in blends of poly(ε-caprolactone) with unsaturated polyester resins 171
D. Nava, C. Salom, M.G. Prolongo, R.M. Masegosa

Some aspects about the mathematical modelling results of an S.G. cast iron with special properties 175
D. Seceleanu, I. Milosan, R. Dobrota

The influence of defects on high cycle fatigue of metallic materials 179
H. Danninger, B. Weiss

Synthesis of Al_2O_3–NbC by reactive milling and production of nanocomposites 185
E.M.J.A. Pallone, V. Trombini, W.J. Botta F, R. Tomasi

Adhesive bonding between aluminium and polytetrafluoroethylene 191
E. David, A. Lazar

Morphological analysis of SSM Al–4.5 wt.% Cu measured by the rheocast quality index 195
E.J. Zoqui

Improvement of damage prediction by anisotropy of microvoids 202
P. Croix, F. Lauro, J. Oudin, J. Christlein

Cure effects on post-impact tensile characteristics of 2D epoxy composites 209
F. Segovia, M.D. Salvador, V. Amigó, A. Vicente

Methodology in gas assisted moulding of plastics 214
F.J. Castany, F. Serraller, I. Clavería, C. Javierre

Case studies in adhesives selection 219
J.C. Suárez, I. Diez de Ulzúrrun, M.V. Biezma, J.M. Ruiz Román, M.A. Martínez, J.C. del Real, F. López

Modelling of infrared heating of thermoplastic sheet used in thermoforming process 225
F.M. Schmidt, Y. Le Maoult, S. Monteix

Plastic forming of Al_2O_3 ceramic substrates 232
F.A. Mesquita, M.R. Morelli

Turning of hardened 100Cr6 bearing steel with ceramic and PCBN cutting tools 237
G.C. Benga, A.M. Abrao

Finite element analysis of the formability of an austenitic stainless steel sheet in warm deep drawing 242
H. Takuda, K. Mori, T. Masachika, E. Yamazaki, Y. Watanabe

Finite element simulation of the hip joint during stumbling: a comparison between static and dynamic loading 249
H.F. El'Sheikh, B.J. MacDonald, M.S.J. Hashmi

Compositional dependence of amorphization of M–C–Si (M = Fe, Co or Ni) materials by mechanical alloying 256
H. Ogawa, H. Miura

Virtual processing in intelligent BHF control deep drawing 261
H. Koyama, K.-i. Manabe

Autoclave forming of thermoplastic composite parts 266
I. Fernández, F. Blas, M. Frövel

Static analysis of the guiding bearing drill contact by finite element method 270
I. Ciupitu, N. Dumitru, St. Gheorghe, C. Teisanu

Photo-initiated generation of a selective layer on polyacrylonitrile (PAN) composite membranes 277
J. Frahn, G. Malsch, H.-H. Schwarz

A set of unified constitutive equations for modelling microstructure evolution in hot deformation 281
J. Lin, Y. Liu

Automatic quantification of phases and mechanical characterization of materials based on Portland clinker modified with silica and alumina additions 286
J.M. García-Márquez, N. Antón, R. Gamboa, M.A. Martinez, F. Velasco

Viability study and mechanical characterisation of copper–graphite electrical contacts produced by adhesive joining 290
J.M. García-Márquez, N. Antón, A. Jimenez, M. Madrid, M.A. Martinez, J.A. Bas

Tensions and deformations of WC–Co cermets and 17-4 PH steel vacuum brazed joints 294
J. Nowacki, M. Kawiak

On the evaluation of strain inhomogeneity by hardness measurement of formed products 300
J. Petruška, L. Janíček

Structure and properties of Al–7Si–Ni and Al–7Si–Cu cast alloys nonmodified and modified with Sr. 306
J.A. García-Hinojosa, C.R. González, G.M. González, Y. Houbaert

Water absorption in polyaminosiloxane-epoxy thermosetting polymers 311
J.C. Cabanelas, S.G. Prolongo, B. Serrano, J. Bravo, J. Baselga

Optical fibre sensors for monitoring of welding residual stresses 316
J.C. Suárez, B. Remartínez, J.M. Menéndez, A. Güemes, F. Molleda

Hot deformation of duplex stainless steels 321
J.M. Cabrera, A. Mateo, L. Llanes, J.M. Prado, M. Anglada

Comparison between large area dc-magnetron sputtered and e-beam evaporated molybdenum as thin film electrical contacts . . . 326
M.A. Martínez, C. Guillén

Curing of polymer matrix composites. Fluorescence study of dansyl fluorophore labeled to glass fibers and DGEBA–ethylenediamine epoxy resin 332
J. Pozuelo, J. Baselga

An orthotropic specific damage model with inclusion consideration 337
C. Bordreuil, E. Salle, J.-C. Boyer

Developments to manufacture structural aeronautical parts in carbon fibre reinforced thermoplastic materials 342
J. Díaz, L. Rubio

Strain-induced martensite in ADI alloys 347
J.L. Garin, R.L. Mannheim

Effect of ductile layers in mechanical behaviour of TiAlN thin coatings 352
J.M. Castanho, M.T. Vieira

Influence of TCO dry etching on the properties of amorphous-silicon solar cells 358
J.J. Gandía, J. Cárabe, M.T. Gutiérrez

Surface quality improvement of multistage forged microparts for wristwatches 362
K. Yoshida, I. Kuboki, S. Norasethasopon

Simulation of deformation and temperature in caliber rolling: effect of finite-element mesh in cross-section 367
K. Komori

On the optimisation of superplastic forming processes by the finite-element method. 373
L. Carrino, G. Giuliano, C. Palmieri

Mechanical characterisation of AA7015 aluminium alloy reinforced with ceramics 378
L.E.G. Cambronero, E. Sánchez, J.M. Ruiz-Roman, J.M. Ruiz-Prieto

Surface profiles of composites with PTFE matrix 384
L. Tomescu, M. Rîpă, E. Vasilescu, C. Georgescu

Surface roughness prediction by factorial design of experiments in turning processes 390
I. Puertas Arbizu, C.J. Luis Pérez

Mechanical properties and pitting corrosion behaviour of 316L stainless steel parts obtained by a modified metal injection moulding process. 397
L. Castro, S. Merino, B. Levenfeld, A. Várez, J.M. Torralba

Modeling thermomechanical processing of austenite 403
J.M. Cabrera, J. Ponce, J.M. Prado

Corrosion and biaxial fatigue of welded structures 410
M.A. Wahab, M. Sakano

Forming stability of an Al–Ti–Mo intermetallic compound and its dependence on microstructure 416
M. Carsí, I. Rieiro, J.A. Jiménez, F. Peñalba, O.A. Ruano

DC conductivity of GeSeAg glasses at room temperature 420
M. Mirandou, M. Fontana, B. Arcondo

New approach for high resistivity CdTe preparation 425
M. Zha, F. Bissoli, L. Zanotti, C. Paorici

Methods for the determination of arc stability 430
M. Suban, J. Tušek

Limiting thickness estimation in polycarbonate lenses injection using CAE tools 438
M. Pazos, J. Baselga, J. Bravo

The use of internal friction techniques as a quality control tool in the mild steel industry 442
L.J. Baker, J.D. Parker, S.R. Daniel

Weld growth mechanism of resistance spot welds in zinc coated steel. 448
N. Harlin, T.B. Jones, J.D. Parker

Recovering inorganic wastes 454
M.T. Vieira, F.M. Barreiros, L. Catarino

Optimization of titanium alloy (6Al–4V) machining 458
M.V. Ribeiro, M.R.V. Moreira, J.R. Ferreira

Sintering behaviour improvement of a low Cr–Mo prealloyed powder steel through Mn additions and others liquid phase promoters 464
M. Campos, D. Sanchez, J.M. Torralba

Magnetic properties of Mg-ferrite after milling process 470
M.E. Rabanal, A. Várez, B. Levenfeld, J.M. Torralba

Influence of alloying element additions on tribological behaviour of sintered steels with high content in manganese–nickel 475
N. Antón, J.L. Delgado, F. Velasco, J.M. Torralba

The VDI 3198 indentation test evaluation of a reliable qualitative control for layered compounds 481
N. Vidakis, A. Antoniadis, N. Bilalis

Manufacturing B_4C–(Al,Si) composite materials by metal alloy infiltration 486
N. Frage, L. Levin, N. Frumin, M. Gelbstein, M.P. Dariel

Critical thickness estimation in ISO-MC cards injection using CAE tools 491
N. García, E. González, J. Baselga, J. Bravo

A fluorescence method to estimate the distribution of stresses in polymer materials 495
D. Olmos, A.J. Aznar, J. González-Benito, J. Baselga

Processing of Gd_2O_3:Eu phosphor particles through aerosol route. 501
O. Milosevic, L. Mancic, B. Jordovic, R. Maric, S. Ohara, T. Fukui

Equal channel angular extrusion in a commercial Al–Mn alloy 506
C.J. Luis Pérez, P. González, Y. Garcés

Crystallization kinetics by differential scanning calorimetry under non-isothermal regime in the case of "site saturation" 512
P.L. López-Alemany, J. Vázquez, P. Villares, R. Jiménez-Garay

Mechanical properties of polypropylene reinforced with recycled-pet fibres 517
P. Santos, S.H. Pezzin

A study on the machining parameters optimisation of electrical discharge machining 521
I. Puertas, C.J. Luis

Characterisation and application of titanium carbonitride-based cutting tools 527
A. Bellosi, R. Calzavarini, M.G. Faga, F. Monteverde, C. Zancolò, G.E. D'Errico

Structural identification of phases in Mo–Re alloys within the range from 5 to 95% Re 533
R.L. Mannheim, J.L. Garin

Mechanical solutions for drawing processes under plane strain conditions by the upper bound method 539
E.M. Rubio Alvir, M.A. Sebastián Pérez, A. Sanz Lobera

Diffusion control on the cure kinetics of DGEBA with ethylenediamines. 546
S.G. Prolongo, F. Mikes, J.C. Cabanelas, S. Paz-Abuín, J. Baselga

The effect of Cu-macroalloying on β-NiAl intermetallic compound obtained by mechanical alloying 551
S. García-Galán, G. Arámburo-Pérez, C. González-Rivera, J. Juárez-Islas

Microstructural characterisation of powder metallurgy M35MHV HSS as a function of the processing route 555
S. Gimenez, I. Iturriza

Sinter-joining of different metal powder compacts using resistance heating 561
S. Maki, Y. Harada, K. Mori

Simulation of the stir casting process 567
S. Naher, D. Brabazon, L. Looney

Microstructural engineering of functionally graded materials by electrophoretic deposition 572
S. Put, J. Vleugels, O. Van der Biest

Effects of thermocapillary forces during welding of 316L-type wrought, cast and powder metallurgy austenitic stainless steels . . 578
S. Sgobba, T. Daniellou

An improved billet on billet extrusion process of continuous aluminium alloy shapes for cryogenic applications in the Compact Muon Solenoid experiment. 584
S. Sequeira Tavares, S. Sgobba

Finite element simulation of stent and balloon interaction 591
S.N. David Chua, B.J. Mac Donald, M.S.J. Hashmi

Development of Al–Si–Mg alloys reinforced with diboride particles 598
M.D. Salvador, V. Amigó, N. Martinez, C. Ferrer

Microstructure and mechanical behaviour of Al–Si–Mg alloys reinforced with Ti–Al intermetallics 605
M.D. Salvador, V. Amigó, N. Martinez, D.J. Busquets

Formability enhancement in magnesium alloy deep drawing by local heating and cooling technique 612
S. Yoshihara, H. Yamamoto, K. Manabe, H. Nishimura

Creep analysis in an isotropic FGM rotating disc of Al–SiC composite. 616
S.B. Singh, S. Ray

Newly proposed yield criterion for residual stress and steady state creep in an anisotropic composite rotating disc 623
S.B. Singh, S. Ray

Growth morphology of the NiAl–V in situ composites 629
S. Milenkovic, R. Caram

Determination of the optimal process parameters in metal injection molding from experiments and numerical modeling 636
Th. Barriere, B. Liu, J.C. Gelin

Friction-assisted pressing of PM components 645
T. Canta, D. Frunza

Laser brazing of aluminium 651
T. Markovits, J. Takács, A. Lovas, J. Belt

The effect of V-ring indenter on the sheared surface in the fine-blanking process of pawl 656
T.S. Kwak, Y.J. Kim, M.K. Seo, W.B. Bae

Alumina ceramics cutting by self-sharpening edge technique of diamond 662
T. Inoue, Y. Tsuchida, T. Suzuki, W. Aoki

Development of optimum process design system for sheet fabrication using response surface method. 667
T. Ohata, Y. Nakamura, T. Katayama, E. Nakamachi

Effect of curing condition on the temperature of test piece in curing process of SMC roll forming 673
T. Katayama, M. Shinohara, M. Hakotani, K. Nishii

Degradation of FRP immersed in sulfuric acid aqueous solution. The proposal of the evaluation method which can consider the sulfuric acid aqueous solution temperature, concentration and the test piece width 677
T. Katayama, Y. Hosokawa, Y. Sakamoto

Clarification of magnetic abrasive finishing mechanism. 682
T. Mori, K. Hirota, Y. Kawashima

Resin flow monitoring in resin film infusion process. 687
V. Antonucci, M. Giordano, L. Nicolais, A. Calabrò, A. Cusano, A. Cutolo, S. Inserra

Evaluation of chemical degradation of commercial polypropylene 693
M.D. Salvador, V. Amigó, M.J. Vidal, A. Ribes, L. Contat

Numerical approach for estimating the elastic modulus in MMCs as a function of sintering temperature. 698
W.M. Lima, F.J. Velasco, J. Abenojar, J.M. Torralba

Mechanical properties as a function of thermal parameters and microstructure of Zn–Al castings. 703
W.R. Osório, C.A. Santos, J.M.V. Quaresma, A. Garcia

Sandwich-rolling of sintered chromium 710
Y. Harada, M. Ohmori, S. Maki, K. Mori

Effect of cutting conditions on press cutting of a square pipe. 716
Y. Kasuga, T. Machida, N. Kato

Modelling of microstructural evolution in multipass hot rolling 723
Y. Liu, J. Lin

Rigid–plastic finite element simulation for process design of impeller hub forming 729
Y.S. Kim, H.S. Son, C.I. Kim

Upper bound analysis of torsional backward extrusion process. 735
Y.H. Kim, J.H. Park

Effects induced in metallic materials due to non-proportional cyclic loading 741
Z.L. Kowalewski

Substitute thermal conductivity coefficient for multi-component ceramic materials 748
Z. Ignaszak

Water-based processing of high-speed steel utilising starch consolidation 752
P. Romano, O. Lyckfeldt, N. Candela, F. Velasco

Design of pass schedule for austenite grain refinement in plate rolling of a plain carbon steel 758
C.P. Hong, J.J. Park

A method of making boride and vitreous compound by powder metallurgy 764
J.M. Mota, M.A. Martinez, F.J. Velásco, A.J. Criado

Development and characterisation of high-speed steel matrix composites gradient materials 769
E.M. Ruiz-Navas, R. García, E. Gordo, F.J. Velasco

Morphological and microstructural characterisation of low-alloying Fe powder obtained by mechanical attrition 776
D.R. Amador, J.M. Torralba

Study of PM alloyed steels with Ni–Cu prealloyed powders 781
D.R. Amador, J.M. Torralba

Robust design for mass production 786
T. Takahashi

Recycling of aluminium alloy and aluminium matrix composite chips by pressing and hot extrusion 792
J.B. Fogagnolo, E.M. Ruiz-Navas, M.A. Simón, M.A. Martinez

Force and deflection modelling in milling of low-rigidity complex parts 796
S. Ratchev, E. Govender, S. Nikov, K. Phuah, G. Tsiklos

Size effect on structure and dielectric properties of Nb-doped barium titanate 802
B.D. Stojanovic, C.R. Foschini, M.A. Zaghete, F.O.S. Veira, K.A. Peron, M. Cilense, J.A. Varela

Mild steel (En8) rod tests under combined tension–torsion loading. 807
N.M. Zarroug, R. Padmanabhan, B.J. MacDonald, P. Young, M.S.J. Hashmi

Liquid phase sintering of P/M aluminium alloys: effect of processing conditions 814
J.M. Martín, F. Castro

Friction and tribological behavior of (Ti, V)C–Co cermets 822
F. Arenas, C. Rondón, R. Sepúlveda

Epoxy resins modified with poly(vinyl acetate) 827
A. Lapprand, C. Arribas, C. Salom, R.M. Masegosa, M.G. Prolongo

Properties of the multi-layer Ti/CrN and Ti/TiAlN coatings deposited with the PVD technique onto the brass substrate 832
L.A. Dobrzański, K. Lukaszkowicz, A. Križ

Synthesis and properties of in situ Al_2TiO_5/Al_2O_3 composite 838
I.B. de Arenas, O. Gil

Ceramic products obtained from rock wastes 843
L. Catarino, J. Sousa, I.M. Martins, M.T. Vieira, M.M. Oliveira

Dissimilar welds between unreinforced AA6082 and AA6092/SiC/25p composite by pulsed-MIG arc welding using unreinforced filler alloys (Al–5Mg and Al–5Si) 846
P.P. Lean, L. Gil, A. Ureña

The use of 9-anthroic acid and new amide derivatives to monitorize curing of epoxy resins 851
O. Martin, J. Baselga

Effect of the strain rate and temperature on the mechanical behaviour of a Mg–5%Zn alloy reinforced with SiC particles 856
Y. El-Saeid Essa, J.L. Pérez-Castellanos

Quantification of the SiC_p content in molten Al–Si/SiC_p composites by computer aided thermal analysis 860
C. Gonzalez-Rivera, J. Baez, R. Chavez, A. García, J. Juarez-Islas

A study on the thermal stability of some alloys in the Sb–As–Se glassy system by differential scanning calorimetry 866
P.L. López-Alemany, J. Vázquez, P. Villares, R. Jiménez-Garay

Effect of dopants in the luminescent properties of synthetic quartz for dosimetric purposes 871
V. Correcher, J. Garcıa-Guinea, L. Sánchez-Muñoz, A. Delgado

Analysis of surface defects using a novel developed fiber-optics laser scanning system 875
A. Abuazza, D. Brabazon, M.A. El-Baradie

Numerical modeling and simulation of carburized and nitrided quenching process 880
D.-Y. Ju, C. Liu, T. Inoue

3D numerical simulation of elasto-plastic behaviour in powder compaction process using a quasi-nonlinear technique 886
A.R. Khoei, S. Iranfar

Numerical modeling of solid state sintering using heterogeneous packing and diffusion processes 891
H. Leclerc, J.C. Gelin

Study on high-speed twin-roll caster for aluminum alloys 895
T. Haga, S. Suzuki

2-Component mixing using the vertical vibration mixing mechanism caused by the container wall pressure 901
T. Katayama, T. Sugiyama, K. Yamamoto

Advanced type stainless steel 316FR for fast breeder reactor structures 905
T. Nakazawa, H. Kimura, K. Kimura, H. Kaguchi

The effect of boron liquid phase sintering on properties of Ni-, Mo- and Cr-alloyed structural steels 910
M. Selecká, A. Šalak, H. Danninger

Production of high silicon steel for electrical applications by thermomechanical processing 916
T. Ros-Yañez, Y. Houbaert, O. Fischer, J. Schneider

Stress and adhesion in DLC coatings on 316L stainless steel deposited by a neutral beam source 922
M.M. Morshed, B.P. McNamara, D.C. Cameron, M.S.J. Hashmi

Author Index 927
Subject Index 930